

PATENT

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE  
PATENT EXAMINING OPERATION

Applicants: Martin Carnall, et al  
Serial No: 10/775,756 Group Art Unit: 3641  
U.S. Patent No: 6,986,343  
Filed: July 14, 2005 Examiner: Troy Chambers  
Att. Docket No.: S1011/20221 Confirmation No.: 8712  
For: MECHANISM FOR GAS OPERATED GUN

**REQUEST TO MODIFY CERTIFICATE OF CORRECTION**

Commissioner for Patents  
P.O. Box 1450  
Alexandria, VA 22313-1450

Sir:

On November 6, 2007, a Certificate of Correction was issued in the above-captioned patent. A copy of that Certificate of Correction is attached hereto as Exhibit A.

Although the various inserts and/or deletions identified in Lines 2, 3, 5, 7, 8 and 9 are accurate in the Certificate of Correction, the reproduction of Claim 1 is not accurate. Specifically, in Line 3 of the reproduced claim, the term "receiving a" (second occurrence) should have been crossed out.

In view of the above, patentees respectfully request that a new Certificate of Correction be issued.

In view of the fact that the error in the original Certificate of Correction was that of the United States Patent and Trademark Office, no fee should be required for the requested Corrected Certificate of Correction.

Respectfully submitted,

CAESAR, RIVISE, BERNSTEIN,  
COHEN & POKOTILOV, LTD.

By 

Martin L. Faigus  
Registration No. 24,324  
Customer No. 03000  
(215) 567-2010  
Attorneys for Applicants

November 27, 2007

Please charge or credit our Account  
No. 03-0075 as necessary to effect  
entry and/or ensure consideration of  
this submission.

UNITED STATES PATENT AND TRADEMARK OFFICE  
**CERTIFICATE OF CORRECTION**

PATENT NO. : 6,986,343 B2  
APPLICATION NO. : 10/775756  
DATED : January 17, 2006  
INVENTOR(S) : Martin Carnall and Paul Gary

Page 1 of 2

It is certified that error appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

Please make the following amendment to Claim 1:

Line 2, insert -- hollow bolt slideably receiving a -- between the words "a" and "bolt";

Line 3, delete "hollow bolt slideably receiving a";


Line 5, insert -- guide when the trigger of the -- between "bolt" and "gun";

Lines 7 and 8, delete "guide when the trigger of the";

Line 8, delete "in the " (first occurrence);

Line 9, insert -- in the -- after "not".

As amended, Claim 1 (currently amended) reads as follows: A mechanism for a gas operated gun having a housing and a trigger, a mechanism comprising a hollow bolt slideably receiving a bolt guide fixed relative ~~hollow bolt slideably receiving a~~ to the gun housing, the bolt being adapted to move to a forward position on the bolt guide when the trigger of the gun is pulled and to a rear position on the bolt guide when the trigger is released, the bolt having at least one radial bore at a position such that said bore is occluded ~~guide when the trigger of the~~ by the ~~in the~~ bolt guide in the rear position of the bolt but not in the forward position of the bolt and a cylinder surrounding the bolt, the cylinder having a radial port communicating with a source of gas under pressure,



UNITED STATES PATENT AND TRADEMARK OFFICE  
**CERTIFICATE OF CORRECTION**

PATENT NO. : 6,986,343 B2  
APPLICATION NO. : 10/775756  
DATED : January 17, 2006  
INVENTOR(S) : Martin Carnall and Paul Gary

Page 2 of 2

It is certified that error appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

As amended, Claim 1 (cont'd):  
characterized in that in the forward position of the bolt said port is occluded by the bolt to isolate the cylinder from said source such that only compressed gas stored in the cylinder is allowed to escape through said bore.

Signed and Sealed this

Sixth Day of November, 2007



A handwritten signature in black ink, reading "Jon W. Dudas".

JON W. DUDAS  
*Director of the United States Patent and Trademark Office*